
















BUILDING & CONSTRUCTION

FACADE CURTAIN WALL SECTION



BUILDING & CONSTRUCTION


FACADE CURTAIN WALL SECTION



BUILDING & CONSTRUCTION

FACADE CURTAIN WALL SECTION


DIE NO. : 96556



Wt. : 1.200 Kg/M

GALCO GROUP


DIE NO. : 96557



Wt. : 1.700 Kg/M

GALCO GROUP


DIE NO. : 96558



Wt. : 0.380 Kg/M

GALCO GROUP


DIE NO. : 96559



Wt. : 1.110 Kg/M

GALCO GROUP


DIE NO. : 96560



Wt. : 0.940 Kg/M

GALCO GROUP


DIE NO. : 96561



Wt. : 1.660 Kg/M

GALCO GROUP


DIE NO. : 96562



Wt. : 2.340 Kg/M

GALCO GROUP

DIE NO. : 96563











Wt. : 0.520 Kg/M

GALCO GROUP









BUILDING & CONSTRUCTION

FACADE CURTAIN WALL SECTION











BUILDING & CONSTRUCTION

FACADE CURTAIN WALL SECTION



BUILDING & CONSTRUCTION


FACADE CURTAIN WALL SECTION



BUILDING & CONSTRUCTION

FACADE CURTAIN WALL SECTION


DIE NO. : 96618



Wt. : 1.610 Kg/M

GALCO GROUP


DIE NO. : 96619



Wt. : 1.050 Kg/M

GALCO GROUP


DIE NO. : 96620



Wt. : 0.340 Kg/M

GALCO GROUP


DIE NO. : 96621



Wt. : 0.200 Kg/M

GALCO GROUP


DIE NO. : 96622



Wt. : 0.300 Kg/M

GALCO GROUP


DIE NO. : 96623



Wt. : 3.030 Kg/M

GALCO GROUP


DIE NO. : 96624



Wt. : 0.240 Kg/M

GALCO GROUP

DIE NO. : 96625




Wt. : 0.270 Kg/M

GALCO GROUP

BUILDING & CONSTRUCTION

FACADE CURTAIN WALL SECTION


DIE NO. : 96626



Wt. : 0.460 Kg/M

GALCO GROUP


DIE NO. : 96629



Wt. : 1.250 Kg/M

GALCO GROUP


DIE NO. : 96630



Wt. : 2.800 Kg/M

GALCO GROUP

DIE NO. : 96631



Wt. : 1.050 Kg/M

GALCO GROUP